


STANDARD EUROPEAN PROFILE CYLINDER WITH LONG CAM

SERIE 5982



CHARACTERISTICS

- Brass body
- Brass rotors
- 15 mm long cam
- 5 pins
- 3 keys

OPTIONAL ACCESSORIES

DESCRIPTION

REF.


MEASUREMENTS

FINISH

UNITS



A B C



- Double cylinder

5982/2525/3	26	26	62	LP	1
5982/2525/4	26	26	62	LN	1
5982/2530/3	26	31	67	LP	1
5982/2530/4	26	31	67	LN	1
5982/2535/3	26	36	72	LP	1
5982/2535/4	26	36	72	LN	1
5982/3030/3	31	31	72	LP	1
5982/3030/4	31	31	72	LN	1
5982/2540/3	26	41	77	LP	1
5982/2540/4	26	41	77	LN	1
5982/3035/3	31	36	77	LP	1
5982/3035/4	31	36	77	LN	1
5982/2545/3	26	46	82	LP	1
5982/2545/4	26	46	82	LN	1
5982/3040/3	31	41	82	LP	1
5982/3040/4	31	41	82	LN	1
5982/3535/3	36	36	82	LP	1
5982/3535/4	36	36	82	LN	1
5982/2550/3	26	51	87	LP	1
5982/2550/4	26	51	87	LN	1
5982/3540/3	36	41	87	LP	1
5982/3540/4	36	41	87	LN	1
5982/3045/3	31	46	87	LP	1
5982/3045/4	31	46	87	LN	1
5982/2555/3	26	56	92	LP	1
5982/2555/4	26	56	92	LN	1
5982/3050/3	31	51	92	LP	1
5982/3050/4	31	51	92	LN	1
5982/3545/3	36	46	92	LP	1
5982/3545/4	36	46	92	LN	1
5982/4040/3	41	41	92	LP	1
5982/4040/4	41	41	92	LN	1
5982/2560/3	26	61	97	LP	1
5982/2560/4	26	61	97	LN	1
5982/3055/3	31	56	97	LP	1
5982/3055/4	31	56	97	LN	1
5982/2565/3	26	66	102	LP	1
5982/2565/4	26	66	102	LN	1
5982/3060/3	31	61	102	LP	1
5982/3060/4	31	61	102	LN	1
5982/3555/3	36	56	102	LP	1
5982/3555/4	36	56	102	LN	1


STANDARD EUROPEAN PROFILE CYLINDER WITH LONG CAM
SERIE 5982

DESCRIPTION	REF.	MEASUREMENTS			FINISH	UNITS
		A	B	C		
	5982/4050/3	41	51	102	LP	1
	5982/4050/4	41	51	102	LN	1
	5982/4545/3	46	46	102	LP	1
	5982/4545/4	46	46	102	LN	1
	5982/4055/3	41	56	107	LP	1
	5982/4055/4	41	56	107	LN	1
	5982/2575/3	26	76	112	LP	1
	5982/2575/4	26	76	112	LN	1
	5982/3565/3	36	66	112	LP	1
	5982/3565/4	36	66	112	LN	1
	5982/4060/3	41	61	112	LP	1
	5982/4060/4	41	61	112	LN	1
	5982/4555/3	46	56	112	LP	1
	5982/4555/4	46	56	112	LN	1
	5982/5050/3	51	51	112	LP	1
	5982/5050/4	51	51	112	LN	1
	5982/2585/3	26	86	122	LP	1
	5982/2585/4	26	86	122	LN	1
	5982/3080/3	31	81	122	LP	1
	5982/3080/4	31	81	122	LN	1
	5982/3575/3	36	76	122	LP	1
	5982/3575/4	36	76	122	LN	1
	5982/4070/3	41	71	122	LP	1
	5982/4070/4	41	71	122	LN	1
	5982/5555/3	56	56	122	LP	1
	5982/5555/4	56	56	122	LN	1
	5982/2595/3	26	96	132	LP	1
	5982/2595/4	26	96	132	LN	1
	5982/4080/3	41	81	132	LP	1
	5982/4080/4	41	81	132	LN	1
	5982/6060/3	61	61	132	LP	1
	5982/6060/4	61	61	132	LN	1
	5982/3595/3	36	96	142	LP	1
	5982/3595/4	36	96	142	LN	1
	5982/6565/3	66	66	142	LP	1
	5982/6565/4	66	66	142	LN	1
	5982/7070/3	71	71	152	LP	1
	5982/7070/4	71	71	152	LN	1
	5982/7575/3	76	76	162	LP	1
	5982/7575/4	76	76	162	LN	1

STANDARD EUROPEAN PROFILE CYLINDER WITH LONG CAM


SERIE 582PM, 5982T

DESCRIPTION	REF.	MEASUREMENTS			FINISH	UNITS
		A	B	C		



- Cylinder with knob





582PM2525/3	26	26	62	LP	1
582PM2525/4	26	26	62	LN	1
582PM2530/3	26	31	67	LP	1
582PM2530/4	26	31	67	LN	1
582PM2535/3	26	36	72	LP	1
582PM2535/4	26	36	72	LN	1
582PM3030/3	31	31	72	LP	1
582PM3030/4	31	31	72	LN	1
582PM3525/3	36	26	72	LP	1
582PM3525/4	36	26	72	LN	1
582PM2540/3	26	41	77	LP	1
582PM2540/4	26	41	77	LN	1
582PM2545/3	26	46	82	LP	1
582PM2545/4	26	46	82	LN	1
582PM3535/3	36	36	82	LP	1
582PM3535/4	36	36	82	LN	1
582PM2550/3	26	51	87	LP	1
582PM2550/4	26	51	87	LN	1
582PM3045/3	31	46	87	LP	1
582PM3045/4	31	46	87	LN	1
582PM3540/3	36	41	87	LP	1
582PM3540/4	36	41	87	LN	1
582PM2555/3	26	56	92	LP	1
582PM2555/4	26	56	92	LN	1
582PM3545/3	36	46	92	LP	1
582PM3545/4	36	46	92	LN	1
582PM2560/3	26	61	97	LP	1
582PM2560/4	26	61	97	LN	1
582PM2565/3	26	66	102	LP	1
582PM2565/4	26	66	102	LN	1



- Single cylinder

5982T40/3	26	42	LP	1
5982T40/4	26	42	LN	1
5982T45/3	31	47	LP	1
5982T45/4	31	47	LN	1
5982T50/3	36	52	LP	1
5982T50/4	36	52	LN	1
5982T55/3	41	57	LP	1
5982T55/4	41	57	LN	1
5982T60/3	46	62	LP	1
5982T60/4	46	62	LN	1
5982T65/3	51	67	LP	1
5982T65/4	51	67	LN	1
5982T70/3	56	72	LP	1
5982T70/4	56	72	LN	1

STANDARD EUROPEAN PROFILE CYLINDER WITH LONG CAM
SERIE 582PM, 5982PT

DESCRIPTION	REF.	MEASUREMENTS			FINISH	UNITS  
		A	B	C		
Single cylinder with knob 	582PM2505/3		26	42	LP	1
	582PM2505/4		26	42	LN	1
	582PM3005/3		31	47	LP	1
	582PM3005/4		31	47	LN	1
	582PM3505/3		36	52	LP	1
	582PM3505/4		36	52	LN	1
	582PM4005/3		41	57	LP	1
	582PM4005/4		41	57	LN	1
	582PM4505/3		46	62	LP	1
	582PM4505/4		46	62	LN	1
	582PM5005/3		51	67	LP	1
	582PM5005/4		51	67	LN	1
	582PM5505/3		56	72	LP	1
	582PM5505/4		56	72	LN	1
 - Single cylinder - Triangle on one side	5982PT2505/3		26	42	LP	1
	5982PT2505/4		26	42	LN	1
 - Double cylinder - Key on one side and triangle on the other	5982PT2525/3	26	26	62	LP	1
	5982PT2525/4	26	26	62	LN	1
	5982PT2535/3	26	36	72	LP	1
	5982PT2535/4	26	36	72	LN	1
	5982PT2545/3	26	46	82	LP	1
	5982PT2545/4	26	46	82	LN	1
 - Double cylinder - Triangle on one side and knob on the other	582PM25T25/3	26	26	62	LP	1
	582PM25T25/4	26	26	62	LN	1
	582PM30T30/3	31	31	72	LP	1
	582PM30T30/4	31	31	72	LN	1
	582PM35T25/3	36	26	72	LP	1
	582PM35T25/4	36	26	72	LN	1
	582PM35T35/3	36	36	82	LP	1
	582PM35T35/4	36	36	82	LN	1
	582PM30T45/3	31	46	87	LP	1
	582PM30T45/4	31	46	87	LN	1