

STANDARD EUROPEAN PROFILE CYLINDER WITH SHORT CAM


SERIE 5990




CHARACTERISTICS

- Brass body
- Brass rotors
- 13,25 mm short cam
- 5 pins
- 3 keys

OPTIONAL ACCESSORIES



DESCRIPTION	REF.	MEASUREMENTS			FINISH	UNITS
		A	B	C		
 • Double cylinder	5990/2525/3	26	26	62	LP	1
	5990/2525/4	26	26	62	LN	1
	5990/2530/3	26	31	67	LP	1
	5990/2530/4	26	31	67	LN	1
	5990/2535/3	26	36	72	LP	1
	5990/2535/4	26	36	72	LN	1
	5990/3030/3	31	31	72	LP	1
	5990/3030/4	31	31	72	LN	1
	5990/2540/3	26	41	77	LP	1
	5990/2540/4	26	41	77	LN	1
	5990/3035/3	31	36	77	LP	1
	5990/3035/4	31	36	77	LN	1
	5990/2545/3	26	46	82	LP	1
	5990/2545/4	26	46	82	LN	1
	5990/3040/3	31	41	82	LP	1
	5990/3040/4	31	41	82	LN	1
	5990/3535/3	36	36	82	LP	1
	5990/3535/4	36	36	82	LN	1
	5990/2550/3	26	51	87	LP	1
	5990/2550/4	26	51	87	LN	1
	5990/3540/3	36	41	87	LP	1
	5990/3540/4	36	41	87	LN	1
	5990/3045/3	31	46	87	LP	1
	5990/3045/4	31	46	87	LN	1
	5990/2555/3	26	56	92	LP	1
	5990/2555/4	26	56	92	LN	1
	5990/3050/3	31	51	92	LP	1
	5990/3050/4	31	51	92	LN	1
	5990/3545/3	36	46	92	LP	1
	5990/3545/4	36	46	92	LN	1
	5990/4040/3	41	41	92	LP	1
	5990/4040/4	41	41	92	LN	1
	5990/2560/3	26	61	97	LP	1
	5990/2560/4	26	61	97	LN	1
	5990/3055/3	31	56	97	LP	1
	5990/3055/4	31	56	97	LN	1
	5990/2565/3	26	66	102	LP	1
	5990/2565/4	26	66	102	LN	1


STANDARD EUROPEAN PROFILE CYLINDER WITH SHORT CAM
SERIE 5990

DESCRIPTION	REF.	MEASUREMENTS			FINISH	UNITS  
		A	B	C		
5990/3060/3		31	61	102	LP	1
5990/3060/4		31	61	102	LN	1
5990/3555/3		36	56	102	LP	1
5990/3555/4		36	56	102	LN	1
5990/4050/3		41	51	102	LP	1
5990/4050/4		41	51	102	LN	1
5990/4545/3		46	46	102	LP	1
5990/4545/4		46	46	102	LN	1
5990/4055/3		41	56	107	LP	1
5990/4055/4		41	56	107	LN	1
5990/2575/3		26	76	112	LP	1
5990/2575/4		26	76	112	LN	1
5990/3565/3		36	66	112	LP	1
5990/3565/4		36	66	112	LN	1
5990/4060/3		41	61	112	LP	1
5990/4060/4		41	61	112	LN	1
5990/4555/3		46	56	112	LP	1
5990/4555/4		46	56	112	LN	1
5990/5050/3		51	51	112	LP	1
5990/5050/4		51	51	112	LN	1
5990/2585/3		26	86	122	LP	1
5990/2585/4		26	86	122	LN	1
5990/3080/3		31	81	122	LP	1
5990/3080/4		31	81	122	LN	1
5990/3575/3		36	76	122	LP	1
5990/3575/4		36	76	122	LN	1
5990/4070/3		41	71	122	LP	1
5990/4070/4		41	71	122	LN	1
5990/5555/3		56	56	122	LP	1
5990/5555/4		56	56	122	LN	1
5990/2595/3		26	96	132	LP	1
5990/2595/4		26	96	132	LN	1
5990/4080/3		41	81	132	LP	1
5990/4080/4		41	81	132	LN	1
5990/6060/3		61	61	132	LP	1
5990/6060/4		61	61	132	LN	1
5990/3595/3		36	96	142	LP	1
5990/3595/4		36	96	142	LN	1
5990/6565/3		66	66	142	LP	1
5990/6565/4		66	66	142	LN	1
5990/7070/3		71	71	152	LP	1
5990/7070/4		71	71	152	LN	1
5990/7575/3		76	76	162	LP	1
5990/7575/4		76	76	162	LN	1

STANDARD EUROPEAN PROFILE CYLINDER WITH SHORT CAM


SERIE 590PM, 5990T

DESCRIPTION	REF.	MEASUREMENTS			FINISH	UNITS
		A	B	C		



- Cylinder with knob

590PM2525/3	26	26	62	LP	1
590PM2525/4	26	26	62	LN	1
590PM2530/3	26	31	67	LP	1
590PM2530/4	26	31	67	LN	1
590PM2535/3	26	36	72	LP	1
590PM2535/4	26	36	72	LN	1
590PM3030/3	31	31	72	LP	1
590PM3030/4	31	31	72	LN	1
590PM3525/3	36	26	72	LP	1
590PM3525/4	36	26	72	LN	1
590PM2540/3	26	41	77	LP	1
590PM2540/4	26	41	77	LN	1
590PM2545/3	26	46	82	LP	1
590PM2545/4	26	46	82	LN	1
590PM3535/3	36	36	82	LP	1
590PM3535/4	36	36	82	LN	1
590PM2550/3	26	51	87	LP	1
590PM2550/4	26	51	87	LN	1
590PM3045/3	31	46	87	LP	1
590PM3045/4	31	46	87	LN	1
590PM3540/3	36	41	87	LP	1
590PM3540/4	36	41	87	LN	1
590PM2555/3	26	56	92	LP	1
590PM2555/4	26	56	92	LN	1
590PM3545/3	36	46	92	LP	1
590PM3545/4	36	46	92	LN	1
590PM2560/3	26	61	97	LP	1
590PM2560/4	26	61	97	LN	1
590PM2565/3	26	66	102	LP	1
590PM2565/4	26	66	102	LN	1



- Single cylinder

5990T40/3		26	42	LP	1
5990T40/4		26	42	LN	1
5990T45/3		31	47	LP	1
5990T45/4		31	47	LN	1
5990T50/3		36	52	LP	1
5990T50/4		36	52	LN	1
5990T55/3		41	57	LP	1
5990T55/4		41	57	LN	1
5990T60/3		46	62	LP	1
5990T60/4		46	62	LN	1
5990T65/3		51	67	LP	1
5990T65/4		51	67	LN	1
5990T70/3		56	72	LP	1
5990T70/4		56	72	LN	1

STANDARD EUROPEAN PROFILE CYLINDER WITH SHORT CAM
SERIE 590PM, 5990PT

DESCRIPTION	REF.	MEASUREMENTS			FINISH	UNITS
		A	B	C		

Single cylinder with knob	590PM2505/3		26	42	LP	1
	590PM2505/4		26	42	LN	1
	590PM3005/3		31	47	LP	1
	590PM3005/4		31	47	LN	1
	590PM3505/3		36	52	LP	1
	590PM3505/4		36	52	LN	1
	590PM4005/3		41	57	LP	1
	590PM4005/4		41	57	LN	1
	590PM4505/3		46	62	LP	1
	590PM4505/4		46	62	LN	1
	590PM5005/3		51	67	LP	1
	590PM5005/4		51	67	LN	1
	590PM5505/3		56	72	LP	1
	590PM5505/4		56	72	LN	1

- Single cylinder - Triangle on one side	5990PT2505/3		26	42	LP	1
	5990PT2505/4		26	42	LN	1

- Double cylinder - Key on one side and triangle on the other	5990PT2525/3	26	26	62	LP	1
	5990PT2525/4	26	26	62	LN	1
	5990PT2535/3	26	36	72	LP	1
	5990PT2535/4	26	36	72	LN	1
	5990PT2545/3	26	46	82	LP	1
	5990PT2545/4	26	46	82	LN	1

- Double cylinder - Triangle on one side and knob on the other	590PM25T25/3	26	26	62	LP	1
	590PM25T25/4	26	26	62	LN	1
	590PM30T30/3	31	31	72	LP	1
	590PM30T30/4	31	31	72	LN	1
	590PM35T25/3	36	26	72	LP	1
	590PM35T25/4	36	26	72	LN	1
	590PM35T35/3	36	36	82	LP	1
	590PM35T35/4	36	36	82	LN	1
	590PM30T45/3	31	46	87	LP	1
	590PM30T45/4	31	46	87	LN	1