

SECURITY EUROPEAN PROFILE CYLINDER WITH LONG CAM


SERIE 6982




CHARACTERISTICS

- Brass body
- Brass rotors
- 15 mm long cam
- Anti-drill bolts
- 5 pins
- 5 keys

OPTIONAL ACCESSORIES



DESCRIPTION	REF.	MEASUREMENTS			FINISH	UNITS	
		A	B	C			
 • Double cylinder	6982/2525/3	26	26	62	LP	1	
	6982/2525/4	26	26	62	LN	1	
	6982/2530/3	26	31	67	LP	1	
	6982/2530/4	26	31	67	LN	1	
	6982/2535/3	26	36	72	LP	1	
	6982/2535/4	26	36	72	LN	1	
	6982/3030/3	31	31	72	LP	1	
	6982/3030/4	31	31	72	LN	1	
	6982/2540/3	26	41	77	LP	1	
	6982/2540/4	26	41	77	LN	1	
	6982/3035/3	31	36	77	LP	1	
	6982/3035/4	31	36	77	LN	1	
	6982/2545/3	26	46	82	LP	1	
	6982/2545/4	26	46	82	LN	1	
	6982/3040/3	31	41	82	LP	1	
	6982/3040/4	31	41	82	LN	1	
	6982/3535/3	36	36	82	LP	1	
	6982/3535/4	36	36	82	LN	1	
	6982/2550/3	26	51	87	LP	1	
	6982/2550/4	26	51	87	LN	1	
	6982/3540/3	36	41	87	LP	1	
	6982/3540/4	36	41	87	LN	1	
	6982/3045/3	31	46	87	LP	1	
	6982/3045/4	31	46	87	LN	1	
	6982/2555/3	26	56	92	LP	1	
	6982/2555/4	26	56	92	LN	1	
	6982/3050/3	31	51	92	LP	1	
	6982/3050/4	31	51	92	LN	1	
	6982/3545/3	36	46	92	LP	1	
	6982/3545/4	36	46	92	LN	1	
	6982/4040/3	41	41	92	LP	1	
	6982/4040/4	41	41	92	LN	1	
	6982/2560/3	26	61	97	LP	1	
	6982/2560/4	26	61	97	LN	1	
	6982/3055/3	31	56	97	LP	1	
	6982/3055/4	31	56	97	LN	1	
	6982/4045/3	41	46	97	LP	1	
	6982/4045/4	41	46	97	LN	1	

SECURITY EUROPEAN PROFILE CYLINDER WITH LONG CAM


SERIE 6982


DESCRIPTION	REF.	MEASUREMENTS			FINISH	UNITS  
		A	B	C		
6982/2565/3		26	66	102	LP	1
6982/2565/4		26	66	102	LN	1
6982/3060/3		31	61	102	LP	1
6982/3060/4		31	61	102	LN	1
6982/3555/3		36	56	102	LP	1
6982/3555/4		36	56	102	LN	1
6982/4050/3		41	51	102	LP	1
6982/4050/4		41	51	102	LN	1
6982/4545/3		46	46	102	LP	1
6982/4545/4		46	46	102	LN	1
6982/4055/3		41	56	107	LP	1
6982/4055/4		41	56	107	LN	1
6982/2575/3		26	76	112	LP	1
6982/2575/4		26	76	112	LN	1
6982/3565/3		36	66	112	LP	1
6982/3565/4		36	66	112	LN	1
6982/4555/3		46	56	112	LP	1
6982/4555/4		46	56	112	LN	1
6982/5050/3		51	51	112	LP	1
6982/5050/4		51	51	112	LN	1
6982/4560/3		46	61	117	LP	1
6982/4560/4		46	61	117	LN	1
6982/2585/3		26	86	122	LP	1
6982/2585/4		26	86	122	LN	1
6982/5555/3		56	56	122	LP	1
6982/5555/4		56	56	122	LN	1
6982/2595/3		26	96	132	LP	1
6982/2595/4		26	96	132	LN	1
6982/6565/3		66	66	142	LP	1
6982/6565/4		66	66	142	LN	1
6982/7070/3		71	71	152	LP	1
6982/7070/4		71	71	152	LN	1
6982/7575/3		76	76	162	LP	1
6982/7575/4		76	76	162	LN	1

SECURITY EUROPEAN PROFILE CYLINDER WITH LONG CAM

SERIE 682PM, 6982T

DESCRIPTION	REF.	MEASUREMENTS			FINISH	APPLIES TO LOCKS	UNITS  
		A	B	C			

	• Cylinder with knob	682PM2525/3	26	26	62	LP	1
		682PM2525/4	26	26	62	LN	1
		682PM2535/3	26	36	72	LP	1
		682PM2535/4	26	36	72	LN	1
		682PM3525/3	36	26	72	LP	1
		682PM3525/4	36	26	72	LN	1
		682PM3030/3	31	31	72	LP	1
		682PM3030/4	31	31	72	LN	1
		682PM2545/3	26	46	82	LP	1
		682PM2545/4	26	46	82	LN	1
		682PM3535/3	36	36	82	LP	1
		682PM3535/4	36	36	82	LN	1
		682PM2555/3	26	56	92	LP	1
		682PM2555/4	26	56	92	LN	1
		682PM3545/3	36	46	92	LP	1
		682PM3545/4	36	46	92	LN	1
		682PM3555/3	36	56	102	LP	1
		682PM3555/4	36	56	102	LN	1
		682PM3565/3	36	66	112	LP	1
		682PM3565/4	36	66	112	LN	1



- Single cylinder

6982T40/3	26	42	LP	1
6982T40/4	26	42	LN	1
6982T50/3	36	52	LP	1
6982T50/4	36	52	LN	1
6982T60/3	46	62	LP	1
6982T60/4	46	62	LN	1
6982T70/3	56	72	LP	1
6982T70/4	56	72	LN	1