


SECURITY EUROPEAN PROFILE CYLINDER WITH SHORT CAM

SERIE 6990



CHARACTERISTICS

- Brass body
- Brass rotors
- 13,25 mm short cam
- Anti-drill bolts
- 5 pins
- 5 keys

OPTIONAL ACCESSORIES

DESCRIPTION

REF.

MEASUREMENTS


A B C

FINISH

APPLIES TO

LOCKS

UNITS



- Double cylinder


6990/2525/3	26	26	62	LP	1
6990/2525/4	26	26	62	LN	1
6990/2530/3	26	31	67	LP	1
6990/2530/4	26	31	67	LN	1
6990/2535/3	26	36	72	LP	1
6990/2535/4	26	36	72	LN	1
6990/3030/3	31	31	72	LP	1
6990/3030/4	31	31	72	LN	1
6990/2540/3	26	41	77	LP	1
6990/2540/4	26	41	77	LN	1
6990/3035/3	31	36	77	LP	1
6990/3035/4	31	36	77	LN	1
6990/2545/3	26	46	82	LP	1
6990/2545/4	26	46	82	LN	1
6990/3040/3	31	41	82	LP	1
6990/3040/4	31	41	82	LN	1
6990/3535/3	36	36	82	LP	1
6990/3535/4	36	36	82	LN	1
6990/2550/3	26	51	87	LP	1
6990/2550/4	26	51	87	LN	1
6990/3540/3	36	41	87	LP	1
6990/3540/4	36	41	87	LN	1
6990/3045/3	31	46	87	LP	1
6990/3045/4	31	46	87	LN	1
6990/2555/3	26	56	92	LP	1
6990/2555/4	26	56	92	LN	1
6990/3050/3	31	51	92	LP	1
6990/3050/4	31	51	92	LN	1
6990/3545/3	36	46	92	LP	1
6990/3545/4	36	46	92	LN	1
6990/4040/3	41	41	92	LP	1
6990/4040/4	41	41	92	LN	1
6990/2560/3	26	61	97	LP	1
6990/2560/4	26	61	97	LN	1
6990/3055/3	31	56	97	LP	1
6990/3055/4	31	56	97	LN	1
6990/4045/3	41	46	97	LP	1
6990/4045/4	41	46	97	LN	1


SECURITY EUROPEAN PROFILE CYLINDER WITH SHORT CAM

SERIE 6990

DESCRIPTION	REF.	MEASUREMENTS			FINISH	APPLIES TO LOCKS	UNITS  
		A	B	C			
6990/2565/3		26	66	102		LP	1
6990/2565/4		26	66	102		LN	1
6990/3060/3		31	61	102		LP	1
6990/3060/4		31	61	102		LN	1
6990/3555/3		36	56	102		LP	1
6990/3555/4		36	56	102		LN	1
6990/4050/3		41	51	102		LP	1
6990/4050/4		41	51	102		LN	1
6990/4545/3		46	46	102		LP	1
6990/4545/4		46	46	102		LN	1
6990/4055/3		41	56	107		LP	1
6990/4055/4		41	56	107		LN	1
6990/2575/3		26	76	112		LP	1
6990/2575/4		26	76	112		LN	1
6990/3565/3		36	66	112		LP	1
6990/3565/4		36	66	112		LN	1
6990/4555/3		46	56	112		LP	1
6990/4555/4		46	56	112		LN	1
6990/5050/3		51	51	112		LP	1
6990/5050/4		51	51	112		LN	1
6990/4560/3		46	61	117		LP	1
6990/4560/4		46	61	117		LN	1
6990/2585/3		26	86	122		LP	1
6990/2585/4		26	86	122		LN	1
6990/5555/3		56	56	122		LP	1
6990/5555/4		56	56	122		LN	1
6990/2595/3		26	96	132		LP	1
6990/2595/4		26	96	132		LN	1
6990/6565/3		66	66	142		LP	1
6990/6565/4		66	66	142		LN	1
6990/7070/3		71	71	152		LP	1
6990/7070/4		71	71	152		LN	1
6990/7575/3		76	76	162		LP	1
6990/7575/4		76	76	162		LN	1

SECURITY EUROPEAN PROFILE CYLINDER WITH SHORT CAM
SERIE 690PM, 6990T

DESCRIPTION	REF.	MEASUREMENTS			FINISH	APPLIES TO LOCKS	UNITS  
		A	B	C			
 Cylinder with knob	690PM2525/3	26	26	62	LP	1	
	690PM2525/4	26	26	62	LN	1	
	690PM2535/3	26	36	72	LP	1	
	690PM2535/4	26	36	72	LN	1	
	690PM3525/3	36	26	72	LP	1	
	690PM3525/4	36	26	72	LN	1	
	690PM3030/3	31	31	72	LP	1	
	690PM3030/4	31	31	72	LN	1	
	690PM2545/3	26	46	82	LP	1	
	690PM2545/4	26	46	82	LN	1	
	690PM3535/3	36	36	82	LP	1	
	690PM3535/4	36	36	82	LN	1	
	690PM2555/3	26	56	92	LP	1	
	690PM2555/4	26	56	92	LN	1	
	690PM3545/3	36	46	92	LP	1	
	690PM3545/4	36	46	92	LN	1	
	690PM3555/3	36	56	102	LP	1	
	690PM3555/4	36	56	102	LN	1	
	690PM3565/3	36	66	112	LP	1	
	690PM3565/4	36	66	112	LN	1	

 Single cylinder	6990T40/3	26	42	LP	1
	6990T40/4	26	42	LN	1
	6990T50/3	36	52	LP	1
	6990T50/4	36	52	LN	1
	6990T60/3	46	62	LP	1
	6990T60/4	46	62	LN	1
	6990T70/3	56	72	LP	1
	6990T70/4	56	72	LN	1