

PANIC LOCK SLIDING DEAD BOLT

SERIE 410



CHARACTERISTICS

- Fireproof lock with panic function
- Stainless steel front plate with round or square edges
- Nickel plated box
- 8 mm square ruler
- Tested in according to EN179 regulation with the handle CM5006I85/6R, CM5006D85/6R
- Fire tested
- Stainless steel strike plate with round or square edges
- Cylinder set screw


OPTIONAL ACCESSORIES

- Complete range of cylinders

DESCRIPTION	REF.	MEASUREMENTS		CAM	FINISH		UNITS	
		B	A		FRONT PLATE	CYLINDER		

- Rectangular dead and latch bolt
- Lock with anticard system
- Lock with panic function
- Lock with nut


410L60D/6HP	60	90	W/O	Al	Round	1	12
410L60I/6HP	60	90	W/O	Al	Round	1	12




PANIC LOCK SLIDING DEAD BOLT

SERIE 410

DESCRIPTION	REF.	MEASUREMENTS		CAM	FINISH		UNITS	
		B	A		FRONT PLATE	CYLINDER		
• Rectangular dead and latch bolt	410/50D/6HP	50	80	W/O	Al	Round	1	12
• Lock with panic function	410/50I/6HP	50	80	W/O	Al	Round	1	12
• Lock with nut	410/60D/6HP	60	90	W/O	Al	Round	1	12
	410/60I/6HP	60	90	W/O	Al	Round	1	12





• Rectangular dead and latch bolt	410L60/6HP	60	90	W/O	Al	Round	1	12
• Lock with anticard system								
• Lock with panic function								
• Lock with passing nut								



PANIC LOCK SLIDING DEAD BOLT

SERIE 410

DESCRIPTION	REF.	MEASUREMENTS		CAM	FINISH		UNITS	
		B	A		FRONT PLATE	CYLINDER		
• Rectangular dead and latch bolt	410/50/6HP	50	80	W/O	Al	Round	1	12
• Lock with panic function	410/60/6HP	60	90	W/O	Al	Round	1	12
• Lock with passing nut								

