


RIM DOOR LOCK 125 SERIES
SERIE 125A

CHARACTERISTICS

- Latch bolt operated by key from outside and by key and pull handle from inside
- Two turn dead bolt operated by key from both sides
- One turn dead bolt operated by key from both sides
- Two finishes: painted iron and nickel plated iron
- Strike plate for given locks
- Escutcheon for different cylinder types
- Fastening components

OPTIONAL ACCESSORIES

- Security european profile cylinder

| DESCRIPTION | REF. | MEASUREMENTS | | CYLINDER | FINISH | | UNITS | |
|--|-------------|--------------|-----|-----------|-------------|----------|-------|----|
| | | B | A | | FRONT PLATE | CYLINDER | | |
| <ul style="list-style-type: none"> • Profile cylinder ref. 5056/50/3 • Reversible latch bolt in measure 100mm (REF. 125AR) • Strike plate ref. CE125AD or CE125AI • Escutcheon ES125 | 125A8D/0 | 47 | 90 | 5056/50/3 | HN | CL | 1 | 20 |
| | 125A8I/0 | 47 | 90 | 5056/50/3 | HN | CL | 1 | 20 |
| | 125A8D/1 | 47 | 90 | 5056/50/3 | HE | CL | 1 | 20 |
| | 125A8I/1 | 47 | 90 | 5056/50/3 | HE | CL | 1 | 20 |
| | 125AR10D/0 | 60 | 100 | 5056/50/3 | HN | CL | 1 | 20 |
| | 125AR10I/0 | 60 | 100 | 5056/50/3 | HN | CL | 1 | 20 |
| | 125AR10D/1 | 60 | 100 | 5056/50/3 | HE | CL | 1 | 20 |
| | 125AR10I/1 | 60 | 100 | 5056/50/3 | HE | CL | 1 | 20 |
| | 125A12D/0 | 60 | 120 | 5056/50/3 | HN | CL | 1 | 20 |
| | 125A12I/0 | 60 | 120 | 5056/50/3 | HN | CL | 1 | 20 |
| | 125A12D/1 | 60 | 120 | 5056/50/3 | HE | CL | 1 | 20 |
| | 125A12I/1 | 60 | 120 | 5056/50/3 | HE | CL | 1 | 20 |
| | 125A14D/0 | 70 | 140 | 5056/50/3 | HN | CL | 1 | 20 |
| | 125A14I/0 | 70 | 140 | 5056/50/3 | HN | CL | 1 | 20 |
| | 125A14D/1 | 70 | 140 | 5056/50/3 | HE | CL | 1 | 20 |
| | 125A14I/1 | 70 | 140 | 5056/50/3 | HE | CL | 1 | 20 |
| <ul style="list-style-type: none"> • Round cylinder ref. 5156/50/3 • Reversible latch bolt in measure 100mm (REF. 1125AR) • Strike plate ref. CE125AD or CE125AI • Escutcheon ES1125 | 1125A8D/0 | 47 | 90 | 5156/50/3 | HN | CL | 1 | 20 |
| | 1125A8I/0 | 47 | 90 | 5156/50/3 | HN | CL | 1 | 20 |
| | 1125A8D/1 | 47 | 90 | 5156/50/3 | HE | CL | 1 | 20 |
| | 1125A8I/1 | 47 | 90 | 5156/50/3 | HE | CL | 1 | 20 |
| | 1125AR10D/0 | 60 | 100 | 5156/50/3 | HN | CL | 1 | 20 |
| | 1125AR10I/0 | 60 | 100 | 5156/50/3 | HN | CL | 1 | 20 |
| | 1125AR10D/1 | 60 | 100 | 5156/50/3 | HE | CL | 1 | 20 |
| | 1125AR10I/1 | 60 | 100 | 5156/50/3 | HE | CL | 1 | 20 |
| | 1125A12D/0 | 60 | 120 | 5156/50/3 | HN | CL | 1 | 20 |
| | 1125A12I/0 | 60 | 120 | 5156/50/3 | HN | CL | 1 | 20 |
| | 1125A12D/1 | 60 | 120 | 5156/50/3 | HE | CL | 1 | 20 |
| | 1125A12I/1 | 60 | 120 | 5156/50/3 | HE | CL | 1 | 20 |
| | 1125A14D/0 | 70 | 140 | 5156/50/3 | HN | CL | 1 | 20 |
| | 1125A14I/0 | 70 | 140 | 5156/50/3 | HN | CL | 1 | 20 |
| | 1125A14D/1 | 70 | 140 | 5156/50/3 | HE | CL | 1 | 20 |
| | 1125A14I/1 | 70 | 140 | 5156/50/3 | HE | CL | 1 | 20 |